

	MAR-MAC Industries, Inc. 229 Mar-Mac Wire Road McBee, SC 29101 843-335-5000	Title: Contractor Brand Sinker Nail Certification	
		MQS Doc No. 5906	Rev. No. 01
		Product Grouping: Nails - Sinkers	
		Origin Date: 1/10/2017	Rev. Date: 4/17/2023
		Responsible Person:	Tracy Gooding



Contractor Brand Sinker Nail Certification

Standard Requirements:

Mar-Mac Industries, Inc. Contractor Brand Sinker Nails are a smooth, vinyl coated, single headed nails designed for general construction needs. The head of the nail is produced with a tapered design so the head can be counter-sunk during use. The nails are manufactured to comply with ASTM F1667.

Chemical Requirements:

Contractor Brand Sinker Nails are produced using a C1006 to C1022 grade of steel as specified in ASTM A510 and ASTM A1040.

Physical Requirements:

Contractor Brand Sinker Nails are supplied in the following sizes:

Nail Size:	8D	16D
Nail Length(*):	2.375"	3.250"
Wire Size (Shank Dia.) Target:	.113"	.162"
Head Diameter Target:	.266"	.344"
Approximate Nails/Pound:	150	64

(*) Nail length expressed is the total length of the nail.

The nails are supplied with a diamond point.

Packaging Requirements:

Contractor Brand Sinker Nails are supplied in 50 pound boxes. Boxes are packaged 48 per pallet.

Any additional questions in regard to technical or specification information for Mar-Mac Industries, Inc. Contractor Brand Nail products can be directed to:

Tracy Gooding
Director of Technical Operations
Mar-Mac Industries, Inc.
(843) 335-5000